



Doc. no. 1SBD250076E1000
Rev. ind. A
Date 2002-04-29
From Corinne Maillet
Dept. FRCTL
Phone +33 (0) 4 72 22 18 75
Fax +33 (0) 4 72 22 19 69
E-mail corinne.maillet@fr.abb.com

Environmental Information

The purpose of this document is to provide environmental information requested in the procedure for Industrial ^{IT} Enabled level 0.

Product name	Contactors Starters WRA9 / WRA12 / WRA16 / WRA26 / WRA30 / WRA40
ABB Identity number	WRA9 1SBK141122Rxxxx / 1SBK141222Rxxxx WRA12 1SBK161122Rxxxx / 1SBK161222Rxxxx WRA16 1SBK181122Rxxxx / 1SBK181222Rxxxx WRA26 1SBK241122Rxxxx / 1SBK241222Rxxxx WRA30 1SBK281122Rxxxx / 1SBK281222Rxxxx WRA40 1SBK321122Rxxxx / 1SBK321222Rxxxx
Information provided by (Name and e-mail address)	Corinne MAILLET Corinne.maillet@fr.abb.com
Business area	Low Voltage Products - ATLV
Date	April 2002

1. Related documents

- Industrial ^{IT} Architecture - Introduction and Definitions, 3BSE023904
- Industrial ^{IT} Certification Overview, 3BSE023905
- Industrial ^{IT} Certification Guideline, 3BSE024526
- Industrial ^{IT} Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

Ref documents:

[http://inside.abb.com/The_Insider/Featured_Portals/Industrial IT Deployment/06 Product Certification/Document Library](http://inside.abb.com/The_Insider/Featured_Portals/Industrial_IT_Deployment/06_Product_Certification/Document_Library)

Group Function Sustainability Affairs

2. Environmental Information

2.1 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

Material	Example application	Yes	No	Quantity/unit <i>Optional</i> ⁽¹⁾
Lead	Batteries, cables	<input checked="" type="checkbox"/>		< 5 solder points
Cadmium	Batteries, switches, additive in lead		<input checked="" type="checkbox"/>	
Mercury	Batteries, switches		<input checked="" type="checkbox"/>	
Beryllium	Contact springs	<input checked="" type="checkbox"/>		
Brominated flame retardants, e.g: PBB, PBDE, TBBPA	Additive in plastics or rubber			Not available
HCFCs, e.g: R 22, R 123, R 141b	Cooling media		<input checked="" type="checkbox"/>	
SF6, sulphurhexafluoride	Breakers		<input checked="" type="checkbox"/>	
Polyvinyl chloride, PVC	Cables	<input checked="" type="checkbox"/>		

(1) Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

2.1.1 Printed circuit boards

Specify the amount of printed circuit boards used in the product by declaring the total board surface:

- < 1 dm²
- 1-10 dm²
- > 10 dm²
- No printed circuit boards used in the product

Doc. no. 1SBD250076E1000
 Rev. ind. A
 Date 2002-04-29

2.2 Recycling information

Is recycling information for the product available?

- Yes Ref. Document:.....
- No

If No, please specify, in the table below, the component/part/physical position where the material is present:

Material	Component/part/physical position
Lead	Contactors : soldering of terminals on coil
Cadmium	No
Mercury	No
Beryllium	Moving contact holder (auxiliary contact CB5)
Brominated flame retardants	Not available
HCFCs	No
SF6, sulphurhexafluoride	No
Polyvinyl chloride, PVC	Contact carrier on contactors / Red flexible wires / Black stiff wires

2.3 Energy use and/or losses during the operation of the product

Is energy use and/or losses during operation of the product specified in the product documentation?

- Yes Ref. Document : See technical data in catalogue
- No
- Not relevant