



Doc. no. 1SBD250072E1000  
Rev. ind. A  
Date 2002-04-29  
From Corinne Maillet  
Dept. FRCTL  
Phone +33 (0) 4 72 22 18 75  
Fax +33 (0) 4 72 22 19 69  
E-mail corinne.maillet@fr.abb.com

## Environmental Information

---

The purpose of this document is to provide environmental information requested in the procedure for Industrial <sup>IT</sup> Enabled level 0.

Product name	Contactor Starters YRA9 / YRA12
ABB Identity number	1SBK142822Rxxxx      1SBK162822Rxxxx
	1SBK142922Rxxxx      1SBK162922Rxxxx
	1SBK142924Rxxxx      1SBK162924Rxxxx
Information provided by <i>(Name and e-mail address)</i>	Corinne MAILLET Corinne.maillet@fr.abb.com
Business area	Low Voltage Products - ATLV
Date	April 2002

### 1. Related documents

- Industrial <sup>IT</sup> Architecture - Introduction and Definitions, 3BSE023904
- Industrial <sup>IT</sup> Certification Overview, 3BSE023905
- Industrial <sup>IT</sup> Certification Guideline, 3BSE024526
- Industrial <sup>IT</sup> Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

*Ref documents:*

*[http://inside.abb.com/The Insider/Featured Portals/Industrial IT Deployment/06 Product Certification/Document Library](http://inside.abb.com/The_Insider/Featured_Portals/Industrial_IT_Deployment/06_Product_Certification/Document_Library)*

## 2. Environmental Information

### 2.1 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

Material	Example application	Yes	No	Quantity/unit <i>Optional</i> <sup>(1)</sup>
Lead	Batteries, cables	<input checked="" type="checkbox"/>		< 20 solder points
Cadmium	Batteries, switches, additive in lead		<input checked="" type="checkbox"/>	
Mercury	Batteries, switches		<input checked="" type="checkbox"/>	
Beryllium	Contact springs	<input checked="" type="checkbox"/>		
Brominated flame retardants, e.g: PBB, PBDE, TBBPA	Additive in plastics or rubber			Not available
HCFCs, e.g: R 22, R 123, R 141b	Cooling media		<input checked="" type="checkbox"/>	
SF6, sulphurhexafluoride	Breakers		<input checked="" type="checkbox"/>	
Polyvinyl chloride, PVC	Cables	<input checked="" type="checkbox"/>		

(1) Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

#### 2.1.1 Printed circuit boards

Specify the amount of printed circuit boards used in the product by declaring the total board surface:

- < 1 dm<sup>2</sup> (TE5S)
- 1-10 dm<sup>2</sup>
- > 10 dm<sup>2</sup>
- No printed circuit boards used in the product

Doc. no. 1SBD250072E1000

Rev. ind. A

Date 2002-04-29

## 2.2 Recycling information

Is recycling information for the product available?

- Yes Ref. Document:.....
- No

If No, please specify, in the table below, the component/part/physical position where the material is present:

Material	Component/part/physical position
Lead	Contactors : soldering of terminals on coil / TE5S : soldering of connections on connectors / MS325 : solder points coil – joke and coil
Cadmium	No
Mercury	No
Beryllium	Moving contact holder (auxiliary contact CB5)
Brominated flame retardants	Not available
HCFCs	No
SF6, sulphurhexafluoride	No
Polyvinyl chloride, PVC	Contact carrier on contactors / TE5S connections / Red flexible wires / Black stiff wires

## 2.3 Energy use and/or losses during the operation of the product

Is energy use and/or losses during operation of the product specified in the product documentation?

- Yes Ref. Document : See technical data in catalogue
- No
- Not relevant