



GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION (PESO)
(Formerly Department of Explosives)
CGO COMPLEX SEMINARY HILLS
NAGPUR 440006

Letter No: A/P/HQ/MH/104/
1659(P223878)

Email :explosives@explosives.gov.in

Phone/Fax No.2510248/2510577

Dated : 7/1/2009

To
M/s. ABB Automation Products GmbH
Borsigstra Be 2 , 63754
Alzenau
GERMANY
GERMANY

19 2 JAN 2009

Sub :Approval for Intrinsically Safe " Temperature Transmitter,type TF02Ex Series" & "Temperature measuring Transducer,type TTH 300-Ex" under Petroleum Rules, 2002.

Dear Sir(s),

The following Intrinsically Safe equipment(s) manufactured by you and covered under DMT, Germany /PTB, Germany Test reports mentioned below are approved for use in Zone 1 of Gas Group IIA hazardous areas coming under the purview of the Petroleum Rules, 2002 administered by this Organization.

Sr.No	Description	Safety Protection	CCEs Identification Number	Test House	Test Report No.	Drawing Numbers
1	Temperature Transmitter ,Typ TF 02-Ex , TF 102-Ex , TF 202-Ex & TF 202-Ex M	E Ex ia IIC T6	P223878/1	DMT, Germany	DMT 02 ATEX E 068 X Dt.4/9/2002	As per Certificate
2	Temperature Measuring Transducer, type TTH 300 - Ex	EEx ia IIC T6	P223878/2	PTB, Germany	PTB 05 ATEX 2017 X Dt.6/7/2005	As per certificate

This Approval is granted subject to observance of the following conditions:-

- 1 The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the DMT, Germany /PTB, Germany Test Reports referred to above
 - 2 The equipment shall be used only with approved type of accessories and associated apparatus
 - 3 The equipment shall be used only in conjunction with the approved Intrinsically Safe barriers
 - 4 Each equipment shall be marked either by raised lettering cast integrally or by plate attached to the main structure to indicate conspicuously
 - 1) Name of the manufacturer
 - 2) Name and number by which the equipment is identified
 - 3) Number & Date of the test Report of the DMT, Germany /PTB, Germany applicable to the equipment
 - 4) CCEs Identification Number of this letter by which use of the apparatus is approved
- A certificate to the effect that the equipment has been manufactured strictly in accordance with the

- 5 drawing referred to in the DMT, Germany /PTB, Germany test report and is identical with the one tested and certified at DMT, Germany /PTB, Germany shall be furnished with each equipment
- 6 The customer shall be supplied the copy of this letter, an extract of the conditions and maintenance schedule, if any recommended by DMT, Germany /PTB, Germany in their test reports and copy of instructions booklet detailing operation and maintenance of the equipment so as to maintain its Intrinsically Safe safety characteristics
- 7 The After sales service and maintenance of subject equipment shall be looked after by your representative M/s. ABB Limited, 32, Industrial Area, N I T, Faridabad, FARIDABAD (Dist.) ,Haryana (State)

This Approval also covers the permissible variation as approved under the DMT, Germany /PTB, Germany test report referred above. This approval may be deemed to have been revoked with immediate effect at any time, if any of the conditions subject to which approval has been granted is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users /your customers of the subject equipment may please be collected and furnished to this office for verification and record at regular intervals.

This approval is otherwise valid a period of five years from the date of issue.


Yours faithfully,



(P C Srivastava)
Deputy Chief Controller of Explosives
for Chief Controller of Explosives
Nagpur

Copy to :

1. The Jt. Chief Controller of Explosives, West Circle, Mumbai; East Circle, Kolkata; South Circle, Chennai; North Circle, Faridabad; Central Circle, Agra.
2. M/s. ABB Limited, 32, Industrial Area, N I T, Faridabad, FARIDABAD (Dist), Haryana (State)



for Chief Controller of Explosives