





WE RECEIVE ALL RIGHTS IN THIS DRAWING AND IN THE INFORMATION CONTAINED THEREIN. REPRODUCTION, COPIING OR DISSEMINATION TO THIRD PARTIES WITHOUT EXPRESS AUTHORITY OF ABB IS STRICTLY FORBIDDEN. © ABB

GENERAL INFORMATION
 5 POSITION LINEAR TAP CHANGER WITHOUT SHIELDS
 RATING 1000AMP, 250BIL
 APPROX. WT. = 14.0KG, 31.0LBS.

	TAP POSITION				
	1	2	3	4	5
LEFTSIDE DRIVE					
RIGHTSIDE DRIVE	5	4	3	2	1



THIS TAP CHANGER IS USED WITH INSULATING SHAFTS

ENG. REF. SEE IZUA549204-AAR FOR TAP CHANGER WITH SHIELDS.

NO. & Loc.	REVISIONS
1	NEW ISSUE PERKINS 09/26/03
2	DIM. 61.0 WAS 148.3. DIM. 65.8 WAS 149.3. PERKINS 10/06/03
3	ADDED TERMINAL NUMBERS CHART. PERKINS 10/17/03
4	TOP VIEW 181 WAS 155.6 PERKINS 03/01/04 SAP 03/01/04
5	ADDED LEADING ZERO TO DECIMAL DIMENSIONS. PERKINS 03/16/04 SAP 03/16/04

PRINTS TO:			ABB Inc.		FILE REF: DTU.LINEAR
1	7	13	ALAMO, TN U.S.A.		
2	8	14	TITLE: "DTL" 1000 AMP OUTLINE		
3	9	15	RESP. DEPT.: COMPONENTS		
4	10	16	DFTR: PERKINS	09-Sep-03	UNITS = MM/INCHES
5	11	17	CHKD:		SCALE = 0.250
6	12	18	APPD:		LANG. = ENGLISH
REF:			DRAWING NO: IZUA549204-AAS		REV.: 5
			SHEET 1 OF 1		