



We reserve all rights in this document and in the information contained therein. Reproduction, use or distribution of this document or the information it contains is strictly forbidden. © ABB Automation Technologies AB



MULTI-FUNCTION OVERCURRENT AND DIR. EARTH-FAULT PROTECTION WITH BINARY I/O MODULE



101 RXTUG 22H
107 RXHL 422

- 1)-6) BINARY INPUT, PROGRAMMABLE
- 7)-15) RELAY OUTPUTS 1-9, PROGRAMMABLE FUNCTION
- 16) LOSS OF AUXILIARY VOLTAGE

PROGRAMMABLE FUNCTIONS FOR BINARY INPUTS:
BLOCKING/ENABLING I>, I>>, I>>>, DIR IN>, DIR IN>>, DIR IN>>>;
THERMAL RESET 0, BREAKER FAILURE EXTERNAL START, ALTERNATIVE SETTINGS; RESET OF LED INDICATIONS.

PROGRAMMABLE FUNCTIONS FOR BINARY OUTPUTS:
START AND TRIP I>, I>>, I>>>, DIR IN>, DIR IN>>, DIR IN>>>;
THERMAL ALARM 0; THERMAL TRIP 0;
BREAKER FAILURE RE-TRIP; BREAKER FAILURE BACK-UP TRIP;
ALTERNATIVE SETTINGS; IN SERVICE

BINARY INPUT OPTIONS:
CIRCUIT-BREAKER CLOSED; CIRCUIT-BREAKER READY;
BLOCKING OF AUTORECLOSING; AUTORECLOSING EXTERNAL ON.

BINARY OUTPUT OPTIONS:
AUTORECLOSING ON; AUTORECLOSING READY;
AUTORECLOSING STARTED;
AUTORECLOSING PULSE TO CIRCUIT-BREAKER;
AUTORECLOSING UNSUCCESSFUL; INTENTIONAL OVERREACH TRIP.

Customer drw no	Prep. PTUA/ TPTD H Raza/JE	2000-03-22	Connection Diagram	Cont. sh/ No of sh	
	Appr. PTUA/ Roger Karlsson	2000-03-31			Multi-funct current prot
	Resp. dept PTUA/ TPTD				
	ABB ABB Automation Technologies		Document number 1MRK001995-ABA	Lang. en	
Based on			Rev. -	Sheet 1	

Document status: Approved